P-ISSN: 3078-7769
E-ISSN: 3078-7777
JDBV 2025, 2(1): 38-44
www.dravyagunajournal.com
Received: 22-01-2025
Accepted: 26-02-2025

Arvind Deshpande
Kerala College of Traditional Medicine, Department of Rasashastra and Bhaishajya Kalpana, Thiruvananthapuram, Kerala, India

Corresponding Author:
Arvind Deshpande
Kerala College of Traditional Medicine, Department of Rasashastra and Bhaishajya Kalpana, Thiruvananthapuram, Kerala, India

A critical review of Sneha Kalpanā and its role in targeted drug delivery

Arvind Deshpande

DOI: https://www.doi.org/10.33545/dravyaguna.2025.v2.i1.A.12

Abstract
Sneha Kalpanā, a specialized Ayurvedic pharmaceutical process involving lipid-based formulations, has gained renewed interest in the context of modern drug delivery mechanisms. Traditionally used for potentiating the therapeutic efficacy of herbs through ghee and oil media, this technique is now being evaluated for its potential role in targeted drug delivery, given the compatibility of lipids with cellular membranes and their capacity to traverse biological barriers. This paper reviews the classical understanding of Sneha Kalpanā, analyzes its pharmacokinetic implications, and critically explores how this ancient method aligns with the principles of targeted drug delivery in modern pharmacology. Key formulations such as Brahmi Ghṛita, Ashwagandhādi Taila and others are discussed with emphasis on their bioavailability, lipophilicity, and therapeutic selectivity. The review also highlights the need for advanced interdisciplinary research to validate Sneha-based carriers for site-specific drug delivery.

Keywords: Sneha Kalpanā, Brahmi Ghṛita, Ashwagandhādi Taila, drug delivery

Introduction
Ayurveda, the ancient Indian system of medicine, offers a profound understanding of health, disease, and healing through its unique pharmacological and therapeutic paradigms. Among its many contributions to the science of medicine, *Sneha Kalpanā* the preparation of lipid-based formulations using ghee (ghṛita) and oil (taila) stands out for its sophisticated approach to enhancing the potency, delivery, and efficacy of herbal drugs. This pharmaceutical method, described elaborately in classical Ayurvedic texts such as the *Charaka Saṃhitā*, *Sushruta Saṃhitā*, and *Śārṅgadhara Saṃhitā*, is not merely a process of mixing herbs with fats, but a meticulously designed technique grounded in principles of bioavailability, drug potentiation, and systemic targeting. Sneha Kalpanā is traditionally employed for internal (snehapāna) and external (abhyanga, basti, etc.) therapeutic applications. It is believed that the lipophilic media used in Sneha preparations facilitate deeper penetration into tissues (*sūkṣma*), faster systemic absorption (*vyavāyī*), and site-specific action (*sthānīya*). These qualities render Sneha Dravyas (lipid bases) potent carriers for active herbal constituents, functioning as *yogavāhī* agents that enhance the efficacy and targeting of therapeutic substances. The ancient texts even detail the proportions of ingredients (e.g., *kalkadravya*, *drava dravya*, and *sneha dravya*) and stages of heating (*pāka*), reflecting a pharmacotechnical precision that is remarkably modern in spirit.

What makes Sneha Kalpanā particularly significant today is its growing relevance in the context of targeted drug delivery systems (TDDS), a domain of modern medicine that aims to transport therapeutic agents directly to specific sites of disease or dysfunction. Targeted drug delivery represents a paradigm shift from conventional pharmacotherapy, offering increased bioavailability, minimized systemic side effects, and enhanced therapeutic efficacy. As pharmaceutical sciences explore biocompatible and biodegradable carriers such as liposomes, Solid Lipid Nanoparticles (SLNs), and self-emulsifying drug delivery systems (SEDDS), the ancient Ayurvedic practice of Sneha-based formulation finds renewed significance.

Lipids have been identified in biomedical research as ideal carriers for poorly water-soluble drugs, owing to their compatibility with biological membranes and their ability to cross cellular and tissue barriers.

This corresponds intriguingly with the Ayurvedic claim that ghṛita and taila possess the ability to "carry the drug deep into the body" (*antarabhāgaṃ nayati*). Thus, Sneha Kalpanā, when analyzed through a modern pharmacological lens, presents itself as a precursor to lipid-based drug delivery systems.

Moreover, many classical formulations-such as *Brahmī Ghṛita*, *Yashtimadhu Ghṛita*, *Sukumāra Ghṛita*, and *Dashamūla Taila*-are known for their systemic effects, including actions on the central nervous system, endocrine regulation, and inflammation modulation. These effects suggest that the lipid medium may not only support absorption but might also influence pharmacokinetics and biodistribution, key parameters in targeted delivery.

Despite this potential, the interface between Sneha Kalpanā and modern drug delivery systems remains underexplored. There is a paucity of systematic scientific studies validating the pharmacokinetics, bioavailability, and tissue-specific targeting mechanisms of Sneha-based preparations. Additionally, the traditional formulations lack standardization, and the variability in raw materials, processing methods, and dosage forms often hampers their reproducibility and acceptability in clinical pharmacology.

Yet, the foundation exists. The theoretical and practical framework of Sneha Kalpanā is solidly rooted in Ayurvedic epistemology and therapeutic rationale. It recognizes the synergy between drug and carrier, the influence of processing methods on drug potency, and the need for individualized treatment approaches based on *doṣa*, *prakṛti*, and *roga mārga*. All of these align well with the personalized and precision-based approach of modern integrative medicine. One cannot overlook the contribution of *bhāvanā* (levigation) and *samskāra* (transformation through process) in enhancing the pharmacodynamic profile of Sneha formulations. The application of specific heat, the incorporation of multiple herbal inputs during *sneha pāka*, and the choice of lipid medium (ghṛita for *medhya* action and taila for *vātahara* effects) all contribute to a tailored drug delivery matrix. Even the method of administration *nasya*, *basti*, *pāna*, or *abhyanga* is carefully selected based on the disease condition and intended site of action, a practice which strongly resonates with the concept of *route-specific targeting* in contemporary medicine. In this light, Sneha Kalpanā is not merely a traditional pharmaceutical method but a dynamic system of drug development and delivery, with insights that could revolutionize the current understanding of lipid-based therapeutics. Integrating Ayurvedic principles with modern bioengineering and pharmacology could pave the way for innovative, safe, and efficient delivery systems that respect both tradition and technology.

This paper seeks to critically examine Sneha Kalpanā from both classical and contemporary perspectives, with special focus on its relevance in targeted drug delivery. It aims to:

- Trace the philosophical and pharmaceutical basis of Sneha Kalpanā in classical Ayurvedic texts,
- Explore the pharmacokinetic and pharmacodynamic properties of Sneha-based formulations,
- Evaluate their potential and limitations as lipid-based carriers in modern medicine,
- Identify areas for future interdisciplinary research.

By bridging ancient Ayurvedic wisdom and emerging biomedical innovations, we endeavor to highlight the unexplored therapeutic potentials of Sneha Kalpanā in the evolving landscape of personalized and targeted medicine.

Classical Understanding of Sneha Kalpanā

Sneha Kalpanā, one of the foundational pharmaceutical processes in Ayurveda, embodies the traditional wisdom of converting herbal substances into therapeutically potent lipid-based formulations. The classical Ayurvedic texts, notably *Charaka Saṃhitā*, *Sushruta Saṃhitā*, and *Śārṅgadhara Saṃhitā*, describe this method in considerable detail, emphasizing its importance for internal and external administration in various diseases. The process involves the careful integration of three essential components *kalkadravya* (herbal paste), *drava dravya* (liquid media such as decoctions), and *sneha dravya* (lipid base) subjected to regulated heating to facilitate the infusion of active herbal constituents into the lipid medium. This methodical transformation reflects the profound pharmacological foresight of Ayurveda in utilizing lipids as efficient carriers for therapeutic agents. The theoretical framework of Sneha Kalpanā rests on several Ayurvedic principles, including *samyoga* (ideal combination), *samskāra* (transformation through processing), and *yogavāhitva* (carrier potency). It is believed that when properly processed, the lipid medium not only absorbs the active phytochemicals from the herbs but also potentiates their therapeutic efficacy. This is especially evident in the concept of *sūkṣma* (subtlety), which implies the ability of Sneha to penetrate microchannels (*srotas*) and reach deep-seated tissues, thus achieving systemic circulation and action.

The lipids used most commonly *ghṛita* (clarified butter) and *taila* (medicated oils) are known for their unique properties such as being *vyavāyī* (rapidly spreading) and *vikāśī* (capable of diffusing widely), making them ideal vehicles for drug delivery in the human body. Classical treatises emphasize precise proportions for Sneha preparations, most commonly cited in *Śārṅgadhara Saṃhitā* as 1 part *kalkadravya*, 4 parts *sneha dravya*, and 16 parts *drava dravya*. This ratio ensures optimal extraction of the active principles into the lipid base during the heating process. The heating must be carefully regulated, typically over a mild fire (*manda agni*), and continued until specific signs of completion are observed such as the cessation of frothing, clarity of the oil, and absence of moisture. The final product is filtered while warm and stored in clean, dry containers for medicinal use. These signs are known as *pāka lakṣaṇas*, and their accurate recognition is crucial to ensure the therapeutic value of the Sneha preparation. Sneha Pāka, or the stage of heating, is another key factor determining the intended use of the preparation. Ayurvedic texts categorize the stages of *pāka* as *mṛdu* (soft), *madhyama* (moderate), and *kharā* (intense), each suitable for different forms of administration. *Mṛdu pāka* Snehas are more fluid and suitable for oral consumption and nasal therapies, while *madhyama pāka* formulations are moderately viscous and used in both external and internal therapies like *basti*. *Kharā pāka* Snehas are thicker, more concentrated, and generally used for external application such as massage and ointment forms. The skill of the pharmacist or physician lies in choosing the correct level of processing based on the intended route of administration and disease pathology. The type of lipid used also varies depending on the nature of the

disorder. *Ghṛita* is considered *śīta virya* (cooling in potency), suitable for disorders of *pitta* and *vata*, and especially useful in conditions involving the brain, nerves, and cognitive functions. It is renowned for its *medhya* (nootropic), *smṛtikara* (memory-enhancing), and *balya* (nourishing) properties. *Taila*, particularly sesame oil, is *uṣṇa virya* (heating in potency), predominantly used to pacify *vāta* disorders, and is highly effective in musculoskeletal and neurological conditions. Other lipid mediums mentioned in Ayurvedic texts include *vasa* (muscle fat) and *majja* (bone marrow), prescribed in specific conditions such as emaciation and bone degeneration, reflecting Ayurveda's rich and targeted pharmaceutics. Several renowned Sneha formulations illustrate the functional diversity of Sneha Kalpanā. *Brahmī Ghṛita*, for instance, combines *Brahmī*, *Vaca*, *Kustha*, and *Triphala* in a ghee base, aimed at enhancing cognition and treating psychiatric disorders. *Sukumāra Ghṛita* is tailored for gynecological and abdominal disorders, administered orally to support hormonal balance and gastrointestinal health. *Dashamūla Taila*, made using the ten roots of *Dashamūla*, is commonly used in conditions of inflammation and pain, often administered through *basti* for diseases affecting the nervous system and spine. These formulations not only reflect therapeutic intent but also highlight the suitability of the lipid medium in transporting active constituents to target areas of the body. The classical method of Sneha administration further reveals Ayurvedic understanding of drug targeting. For systemic effects, Sneha is administered orally (*snehapāna*) or through rectal enema (*basti*). For neurological conditions, *nasya* or intranasal delivery of medicated oils and ghṛitas is employed to access the brain directly via the olfactory route, an approach consistent with modern intranasal drug delivery strategies. Localized disorders are managed using external applications like *abhyanga* (massage) and *lepa* (ointment), allowing the Sneha to act specifically at the site of pathology. These routes are not arbitrarily chosen; rather, they are deeply rooted in Ayurvedic pathology (*samprāpti*) and anatomical concepts, showing a highly refined understanding of both disease localization and therapeutic targeting. Another unique dimension of Sneha Kalpanā is the transformative power of *samskāra*, wherein the base lipid itself undergoes qualitative enhancement due to prolonged interaction with herbal constituents under heat. This transformation is said to imbue the lipid with new *guṇas* (qualities) and *karma* (actions), allowing it to act as a more potent therapeutic agent. The Sanskrit aphorism "*Samskārad anuvartanāt guṇaḥ*" highlights how the method of processing can alter and elevate the properties of a substance. In this sense, Sneha Kalpanā transcends being a mere extraction process and becomes a transformative alchemical act rooted in Ayurvedic theory.

In conclusion, the classical understanding of Sneha Kalpanā reveals a profound and nuanced system of drug preparation and delivery that harmonizes the physical properties of lipid media with the energetic and therapeutic principles of Ayurveda. It demonstrates a clear awareness of the challenges of bioavailability, site-specific action, and systemic efficacy, long before these terms emerged in modern pharmacology. The traditional methods of Sneha Kalpanā, if validated and standardized using current scientific tools, may offer innovative platforms for drug delivery that are safe, biocompatible, and therapeutically precise. As such, this ancient method holds immense promise for integration with modern biopharmaceutical strategies aimed at targeted and personalized medicine.



Fig 1: Conceptual Flow of Sneha Kalpanā as a Traditional

Pharmacological and Biomedical Perspective

The pharmacological relevance of *Sneha Kalpanā* in the context of modern drug delivery can be better appreciated when examined through the lens of biomedical science, particularly lipid pharmacology, membrane transport dynamics, and targeted delivery systems. Ayurveda's age-old classification of Sneha Dravyas based on their *guṇas* (qualities) and *karma* (actions) mirrors the foundational objectives of contemporary pharmaceutics namely, to enhance drug bioavailability, control pharmacokinetics, and achieve site-specific therapeutic effects with minimal systemic toxicity. Modern pharmacology recognizes that lipid-based drug delivery systems (LBDDS) offer a superior means of transporting lipophilic and poorly water-soluble drugs. These systems mimic biological membranes and enhance passive diffusion across epithelial layers. Remarkably, Ayurvedic Sneha preparations ghṛita and taila are inherently lipid-rich and biocompatible, often exhibiting similar behavior when administered in a therapeutically appropriate manner. When processed using the classical method of *sneha pāka*, they undergo molecular transformations that increase their ability to solubilize, encapsulate, and stabilize hydrophobic phytoconstituents. This not only enhances their absorption in the gastrointestinal tract but also ensures prolonged residence time, reduced degradation, and higher systemic bioavailability. The use of ghṛita in particular has gained attention in biomedical research due to its capacity to

traverse the blood-brain barrier. This aligns with its traditional use in *medhya rasāyana* (brain tonics), where ghṛita-based formulations such as *Brahmī Ghṛita*, *Saraswatī Ghṛita*, and *Vaca Ghṛita* are administered to enhance memory, cognition and treat neurological disorders. The high content of short-chain and medium-chain fatty acids in ghṛita enhances its absorption from the gastrointestinal tract and facilitates its transport into the central nervous system. This observation has led to studies on ghṛita as a carrier for neuroprotective agents and herbal bioactives with potential anti-Alzheimer and anti-epileptic activity. The traditional route of *nasya* (nasal administration) for such Sneha formulations also reflects a keen understanding of the olfactory pathway as a direct route to the brain a concept now well-supported in neuropharmacology.

Similarly, taila-based formulations have demonstrated anti-inflammatory, analgesic, and immunomodulatory properties, particularly in musculoskeletal and dermatological disorders. Modern research into sesame oil the most commonly used *taila* in Ayurveda has confirmed its antioxidant and anti-inflammatory effects, attributed to bioactive compounds such as sesamin, sesamol, and tocopherols. When infused with herbal actives through the Sneha Kalpanā process, the resulting formulation acts synergistically, delivering both lipid-derived and plant-derived therapeutic benefits. The high skin permeability of taila formulations also enables effective transdermal drug delivery, a feature exploited in classical external therapies such as *abhyanga*, *lepa*, and *pichu*.

A significant pharmacological principle embedded in Sneha Kalpanā is *yogavāhitva*, which corresponds with the modern idea of a drug carrier system. This property allows the lipid medium to deliver the drug to its specific target site while maintaining its integrity. For instance, *Dashamūla Taila* used in *basti* (rectal enema) shows efficacy in *vātaroga*, particularly in diseases involving the nervous system and pelvic organs. The taila not only exerts local action on the colon and rectum but also allows systemic absorption of herbal actives through rectal mucosa, akin to rectal suppositories in allopathy. Furthermore, in systemic administration like *snehapāna*, ghṛita formulations interact with bile salts and form micelles that enhance the solubility and absorption of non-polar constituents.

An important parallel can be drawn between Sneha Kalpanā and various modern drug delivery systems such as liposomes, solid lipid nanoparticles (SLNs), and self-emulsifying drug delivery systems (SEDDS). These systems aim to increase the solubility of lipophilic drugs, protect them from enzymatic degradation, and enhance their targeted delivery to tissues. Ayurvedic Snehas, though not manufactured at the nanometer scale, naturally share these characteristics. This indicates that Sneha Kalpanā may serve as a crude yet effective traditional prototype of lipid nanocarriers. Scientific studies that apply size reduction techniques or nanonization to Sneha-based preparations could yield highly potent and stable Ayurvedic-lipid delivery systems that comply with modern regulatory frameworks.

Moreover, Sneha Kalpanā offers a promising platform for the development of herbal nanoemulsions. Nanoemulsions are colloidal systems where oil droplets encapsulate the drug in a nanometric size range, significantly improving drug dissolution rate, tissue permeation, and therapeutic index. Recent research has explored ghṛita-based nanoemulsions for delivering herbal actives like curcumin and glycyrrhizin, showing enhanced bioavailability and reduced toxicity. Such innovations point to the feasibility of integrating traditional Sneha formulations with advanced pharmaceutical techniques.

Despite these promising correlations, challenges persist. The variability in the source of lipid bases, the absence of standardized protocols for preparation, and insufficient documentation of pharmacokinetic data limit the integration of Sneha Kalpanā into mainstream biomedicine. Additionally, the complex multi-component nature of Sneha formulations makes it difficult to isolate and study the pharmacodynamics of individual actives. However, these challenges can be mitigated by applying modern analytical tools such as high-performance liquid chromatography (HPLC), gas chromatography-mass spectrometry (GC-MS), and nuclear magnetic resonance (NMR) to characterize the phytochemical and lipid profiles of Sneha preparations.

Interdisciplinary collaboration between Ayurveda scholars, pharmacologists, biochemists, and pharmaceutical engineers is vital to bridge this gap. A renewed emphasis on in-vitro drug release studies, pharmacokinetic modeling, and tissue-distribution experiments is needed to validate the claims made in classical texts regarding the systemic effects of Sneha-based drugs. Furthermore, clinical trials assessing therapeutic efficacy, safety, and patient compliance with Sneha formulations would significantly enhance their credibility and global acceptance.

Table 1: Comparative properties of Ghṛita and Taila as Sneha Dravyas

Parameter	Ghṛita (Clarified Butter)	Taila (Medicated Oil-typically Sesame)
Virya (Potency)	Śīta (Cooling)	Uṣṇa (Heating)
Primary Doṣa Action	Pitta and Vāta pacifying	Predominantly Vāta pacifying
Tissue Penetration	Deep (especially CNS and marrow tissues)	Moderate to deep (skin, muscles, joints)
Preferred Routes	Oral (*Snehapāna*), Nasal (*Nasya*)	External (*Abhyanga*), Rectal (*Basti*)
Indications	Mental disorders, debility, epilepsy	Neuromuscular pain, arthritis, skin disorders
Shelf Life	Comparatively shorter	Longer (with proper storage)
Traditional Formulations	*Brahmī Ghṛita, Sukumāra Ghṛita*	*Dashamūla Taila, Mahānārāyaṇa Taila*

Integration with targeted drug delivery systems

The re-emergence of lipid-based therapeutics in modern medicine has generated a profound interest in traditional systems like Ayurveda, particularly in processes such as *Sneha Kalpanā*. With the pharmaceutical industry exploring diverse strategies for improving drug solubility, permeability, and bioavailability, Sneha-based formulations offer a rich, underutilized reservoir of knowledge that parallels many modern concepts. The potential for integrating *Sneha Kalpanā* into contemporary therapeutic frameworks lies not only in its ability to act as a biocompatible carrier but also in its holistic approach to personalized medicine, site-specific targeting, and disease-modifying action.

In modern drug development, especially for drugs targeting chronic disorders like neurological, inflammatory, or metabolic diseases, lipid-based carriers have become indispensable. Formulations such as liposomes, niosomes, nanoemulsions, and solid lipid nanoparticles (SLNs) are currently used for delivering poorly water-soluble drugs. These advanced carriers enhance drug absorption by mimicking cellular membranes and facilitating easier intracellular entry. Ayurveda, through *Sneha Kalpanā*, inherently employs a similar lipid matrix *ghṛita* or *taila* to encapsulate and transport herbal constituents. This makes classical Sneha preparations relevant in the present day as naturally occurring equivalents of these advanced carriers.

The compatibility of Sneha-based formulations with modern drug delivery goals is evident in their pharmacokinetic behavior. These formulations can bypass first-pass metabolism, protect labile phytochemicals from degradation, and maintain therapeutic concentrations for extended periods. For instance, ghṛita-based formulations are traditionally used for *snehapāna* (internal oleation), where lipids emulsify in the gut and facilitate the absorption of active compounds into the lymphatic system. This aligns with the modern concept of lymphatic drug transport, which is used to enhance oral bioavailability and bypass hepatic metabolism. Research into *Saraswatī Ghṛita* and *Brahmī Ghṛita* has shown promising neuroprotective and memory-enhancing effects, correlating with the presence of nootropic and adaptogenic phytochemicals that are better delivered through lipophilic carriers.

Another area of high relevance is the application of *Sneha Kalpanā* in neurodegenerative conditions such as Alzheimer's disease, Parkinsonism, and epilepsy. In classical texts, these conditions fall under *unmāda*, *apasmāra*, and *smṛti bhramśa*, for which *medhya ghṛita* preparations are prescribed. Contemporary research now recognizes the advantage of lipid-based nasal drug delivery for targeting the brain directly via the olfactory route. Intranasal administration of Sneha-based preparations, as recommended in *nasya karma*, reflects a remarkably sophisticated understanding of direct drug targeting. Studies have demonstrated that nasally administered oils can penetrate the brain through the olfactory mucosa, providing a non-invasive, rapid, and efficient route for delivering therapeutics to the central nervous system. This traditional route is now being mirrored in clinical trials for various neuroactive drugs, showing that *nasya* is not merely ritualistic but a scientifically sound technique.

In dermatological and orthopedic conditions, topical application of Sneha formulations has gained renewed attention. Transdermal drug delivery systems (TDDS), which are currently used in mainstream medicine to manage pain, inflammation, and hormonal deficiencies, work on the principle of sustained release and local targeting. Taila-based Ayurvedic preparations, applied externally during *abhyanga* or as medicated packs (*lepa*), exhibit similar therapeutic principles. Oils infused with herbs such as *Nirgundī*, *Eranda*, *Shigru*, and *Dashamūla* are used to reduce inflammation, stiffness, and pain. These effects can be attributed to the lipid-mediated dermal absorption of anti-inflammatory and antioxidant phytoconstituents. The growing interest in herbal transdermal patches and phyto-lipid creams in modern herbal cosmetology and sports medicine echoes this Ayurvedic principle.

In the field of oncology and metabolic disorders, lipids are being explored as carriers for delivering anti-cancer and anti-diabetic plant-derived molecules. Sneha Kalpanā offers the possibility of formulating polyherbal lipid-based emulsions for such complex conditions, leveraging the synergy between multiple herbs and their enhanced absorption through lipid media. Although these classical preparations require rigorous standardization, their utility can be extended in designing nutraceuticals and adjuvants for chronic diseases. The concept of *rasāyana*, or rejuvenation therapy, often employs Sneha formulations to delay aging, boost immunity, and promote tissue regeneration. These are functions highly sought after in regenerative medicine and anti-aging therapies today.

Moreover, Sneha Kalpanā aligns with the rising trend of personalized medicine. Ayurveda considers factors like *prakṛti* (body constitution), *doṣa-vikṛti* (doshic imbalance), *roga-mārga* (pathways of disease), and *vyādhi sthāna* (site of disease) while formulating and selecting a therapeutic agent. A Sneha formulation is selected and prepared not only based on the nature of the disease but also the individual's constitution, digestive capacity (*agni*), and disease chronicity. This approach is conceptually consistent with precision medicine, which customizes treatment based on genetic, environmental, and lifestyle factors. In this light, Sneha Kalpanā represents a time-honored system of tailored therapeutics, one that resonates with the most advanced trends in clinical pharmacology and systems biology.

Despite its relevance, the full potential of Sneha Kalpanā remains untapped due to the lack of integration between Ayurvedic pharmaceutics and modern pharmacological research. Challenges such as lack of standardization, insufficient pharmacokinetic profiling, and limited clinical trials inhibit its wider adoption. However, there is an emerging body of research demonstrating the efficacy of Sneha formulations, which if expanded with rigorous validation, could position Sneha Kalpanā as a valuable complement to synthetic drug delivery systems. The development of standardized processing protocols, coupled with advanced analytical tools such as FTIR, HPLC, and LC-MS, can help in the precise characterization and quality assurance of Sneha preparations.

Case Examples from Classical Formulations

A closer examination of time-tested Ayurvedic formulations prepared through Sneha Kalpanā provides valuable insight into their therapeutic precision and relevance to targeted drug delivery. Among the most prominently cited in classical and contemporary Ayurvedic literature is *Brahmī Ghṛita*, an acclaimed *medhya rasāyana* formulation. Traditionally prescribed for enhancing memory, intelligence, and speech, this preparation combines *Brahmī* (Bacopa monnieri), *Vaca* (Acorus calamus), *Kustha* (Saussurea lappa), and *Triphala*, processed in *ghṛita*. The lipophilic nature of *ghṛita* facilitates deep penetration of its phytoconstituents through the blood-brain barrier, a concept well aligned with the goals of modern neuropharmacology. The administration of *Brahmī Ghṛita* through *snehapāna* or *nasya* routes ensures both systemic and direct brain targeting, thereby enhancing its utility in conditions such as anxiety, cognitive impairment, epilepsy, and attention-deficit disorders.

Another significant formulation is *Sukumāra Ghṛita*, which is prominently used in the management of gynecological

disorders, including menstrual irregularities, uterine weakness, and hormonal imbalances. Prepared using herbs such as *Dashamūla*, *Trivṛt*, *Ela*, *Shatapushpa*, and *Shunti*, this *ghṛita* is administered internally in small doses to induce systemic oleation. The formulation exhibits a targeted action on the reproductive and gastrointestinal systems, reflecting its effectiveness in conditions of *vāta-pradhāna yonivyāpad*. Its internal administration, especially when timed in alignment with *ṛtu* (menstrual cycle phase), demonstrates how Sneha-based therapies can be guided by chronotherapeutic principles an emerging field in modern pharmacology as well.

Both of these formulations underscore Ayurveda's nuanced understanding of tissue-specific action and pharmacokinetic optimization through Sneha Kalpanā. While *Brahmī Ghṛita* demonstrates central nervous system targeting through a lipid-mediated route, *Sukumāra Ghṛita* exemplifies systemic targeting of pelvic and abdominal organs via oral administration. These examples, deeply embedded in clinical practice for centuries, offer a valuable framework for modern researchers seeking to design biocompatible, targeted, and personalized drug delivery systems using natural and holistic approaches.

Challenges and Future Perspectives

While *Sneha Kalpanā* presents a sophisticated and conceptually aligned foundation for targeted drug delivery, several critical challenges hinder its full integration into modern pharmaceutical sciences. These challenges span scientific validation, standardization, regulatory compliance, and translational research. Addressing them systematically is vital to position *Sneha Kalpanā* not merely as a traditional remedy but as a credible, evidence-based delivery system within integrative and contemporary medicine.

One of the foremost challenges lies in the standardization of Sneha formulations. The traditional Ayurvedic process is highly dependent on multiple variables such as the source and quality of raw materials, method and duration of heating, the ratio of *kalkadravya*, *drava dravya*, and *sneha dravya*, as well as the intensity of the *pāka*. These variables significantly influence the physicochemical properties of the final product, including viscosity, color, odor, and solubility. Without precise standardization, the reproducibility of therapeutic outcomes remains uncertain. In a regulatory landscape that demands batch-to-batch consistency and quality control, the absence of Good Manufacturing Practices (GMP)-aligned protocols limits the acceptance of Sneha formulations on a global scale.

Furthermore, the pharmacokinetics and pharmacodynamics of Sneha-based formulations are poorly understood in the context of contemporary biomedical science. While classical Ayurvedic texts describe properties such as *sūkṣma*, *vyavāyī*, *yogavāhī*, and *rasāyana* effects, there is a paucity of data validating these concepts using modern pharmacological parameters. Systematic studies on absorption rates, distribution, metabolism, excretion (ADME), and tissue targeting are still lacking for most Sneha preparations. Without this data, the scientific community remains cautious in accepting the therapeutic superiority or site-specific efficacy claimed in traditional Ayurvedic literature.

Analytical challenges also arise in characterizing the complex matrix of Sneha Kalpanā products. These formulations often contain a large number of herbal constituents, lipophilic compounds, and thermally transformed metabolites that interact synergistically. The multi-component nature of these formulations makes it difficult to identify active constituents, predict their interactions, and define clear therapeutic indices. Although tools such as High-Performance Liquid Chromatography (HPLC), Gas Chromatography-Mass Spectrometry (GC-MS), Fourier-Transform Infrared Spectroscopy (FTIR), and Nuclear Magnetic Resonance (NMR) are now being applied, their application in Sneha-based analysis is still in its early stages. The complexity of herbal matrices demands novel, integrative analytical models that can deal with polyherbal-lipid interactions and deliver comprehensive pharmacognostic profiles.

Another limitation is the scarcity of well-designed clinical trials that assess the efficacy and safety of Sneha-based formulations in specific diseases. Most evidence remains anecdotal or based on traditional usage rather than randomized, double-blind, placebo-controlled studies. As regulatory authorities such as the FDA, EMA, and WHO increasingly demand rigorous evidence for herbal drug approvals, the lack of clinical data remains a significant obstacle. Furthermore, the long shelf life and storage stability of Sneha formulations under different climatic conditions have not been fully evaluated, raising concerns about microbial contamination and oxidative degradation of lipid components over time. Despite these challenges, the future potential of *Sneha Kalpanā* is substantial. With the global shift toward natural, biocompatible, and sustainable healthcare solutions, Sneha-based drug carriers could offer a cost-effective and safer alternative to synthetic lipid-based delivery systems. The incorporation of nano-technology into Sneha Kalpanā is one such promising avenue. By converting classical ghṛita or taila preparations into nanoemulsions or liposomal formulations, researchers can enhance the surface area, solubility, and target specificity of active phytochemicals. Such innovations could revolutionize the delivery of traditional drugs for diseases like neurodegeneration, cancer, autoimmune disorders, and metabolic syndromes. Moreover, the integration of Artificial Intelligence (AI) and Machine Learning (ML) tools into Ayurvedic pharmacological databases could aid in identifying correlations between Sneha constituents, disease targets, and personalized constitution types (*prakṛti*). This approach could establish computational models for customized Sneha prescriptions, further enhancing the precision and effectiveness of treatment. Additionally, interdisciplinary collaborations between Ayurvedic practitioners, pharmaceutical technologists, chemists, and clinical researchers are essential to develop hybrid models of drug development rooted in both tradition and science. Regulatory bodies in India and abroad can play a catalytic role by developing guidelines specific to Ayurvedic lipid formulations. The inclusion of Sneha Kalpanā in pharmacopoeial monographs, along with standard operating procedures (SOPs), quality benchmarks, and safety profiles, can promote wider adoption. National and international funding bodies should be encouraged to support large-scale studies on Sneha-based therapies for public health conditions, including geriatric disorders, psychosomatic illnesses, and lifestyle diseases. Educational reforms are also necessary to train Ayurvedic students and researchers in modern pharmaceutical and analytical techniques. Bridging this knowledge gap will not only help preserve the

authenticity of *Sneha Kalpanā* but also ensure its relevance and evolution in a world increasingly seeking integrative medicine solutions. In conclusion, while significant challenges exist in validating and mainstreaming *Sneha Kalpanā*, they are not insurmountable. On the contrary, they present a vital opportunity for Ayurveda to reclaim its scientific heritage and offer sustainable, effective, and personalized therapeutic options. With concerted efforts toward research, innovation, standardization, and policy support, Sneha Kalpanā can evolve from being a revered traditional practice to a globally recognized model for lipid-based targeted drug delivery in the 21st century.

Conclusion

Sneha Kalpanā, as described in classical Ayurvedic texts, represents a refined and intelligent pharmaceutico-therapeutic system that anticipated many principles now foundational to modern drug delivery science. Rooted in the doctrines of *sūkṣma*, *vyavāyī*, *yogavāhī*, and *samskāra*, this process of preparing lipid-based herbal formulations reveals profound insights into enhancing drug bioavailability, systemic circulation, tissue targeting, and therapeutic efficacy. The traditional use of *ghṛita* and *taila* as lipid media, their combination with specific herbal pastes and decoctions, and their administration via various routes such as oral, nasal, rectal, and topical all demonstrate Ayurveda's nuanced understanding of both pharmacokinetics and pharmacodynamics long before these terms emerged in contemporary biomedical lexicon. The alignment between Sneha Kalpanā and modern lipid-based drug delivery systems, including liposomes, nanoemulsions and solid lipid nanoparticles, underscores the potential of integrating ancient knowledge with cutting-edge pharmaceutical technologies. Formulations such as *Brahmī Ghṛita* and *Sukumāra Ghṛita* offer enduring clinical relevance in managing disorders of the nervous and reproductive systems, respectively, while showcasing the utility of Sneha as a natural, biocompatible drug carrier. Furthermore, the personalized approach of Ayurveda in tailoring Sneha formulations based on *doṣa*, *prakṛti*, and *roga mārga* parallels the modern emphasis on precision medicine.

However, the full potential of Sneha Kalpanā remains under-realized due to several challenges. The absence of standardized preparation methods, lack of comprehensive pharmacokinetic data, minimal integration with modern analytical techniques, and insufficient clinical trials are barriers to global acceptance and scientific validation. Overcoming these limitations will require interdisciplinary collaboration, robust pharmacological research, and regulatory frameworks that honor both traditional authenticity and modern scientific rigor.

Looking forward, the future of Sneha Kalpanā lies in its transformation from a classical therapeutic tool to a modern delivery platform. By harnessing the advantages of lipid-based systems, applying nanotechnology, and building evidence through clinical and laboratory-based validation, Sneha formulations can contribute significantly to the fields of chronic disease management, neuropharmacology, geriatric care, and integrative oncology. As global health systems increasingly recognize the value of holistic, natural, and patient-centered therapies, Sneha Kalpanā holds promise not just as a cultural heritage, but as a scientifically viable, safe, and effective model of targeted drug delivery in the 21st century and beyond.

References

1. Sharma PV. Dravyaguna Vigyan, Vol. 1. Varanasi: Chaukhambha Bharati Academy, 2010, p. 148-152.
2. Shastri A. Sushruta Samhita of Sushruta with Ayurvedatatvasandipika Commentary, Part I. Varanasi: Chaukhambha Sanskrit Sansthan, 2012, p. 46-49.
3. Gokhale SB, Kokate CK, Purohit AP. Pharmacognosy. 34th ed. Pune: Nirali Prakashan, 2008, p. 109-115.
4. Kulkarni RR, Patki PS. Evaluation of Brahmi Ghrita for nootropic activity in rats. Ancient Science of Life. 2002;22(1):25-30.
5. Bhutani KK, Gohil VM. Natural product drug delivery systems: An overview. Pharmacogn Rev. 2010;4(8):27-33.
6. Shukla VJ, Ravishankar B, Shukla S. Physicochemical characterization of classical Ayurvedic Tailas and their role in targeted drug delivery. AYU. 2013;34(3):308-315.
7. Patel PM, Patel NM, Goyal RK. Quality control of herbal products. Indian Journal of Pharmacology. 2006;38(4):206-210.