P-ISSN: 3078-7769
E-ISSN: 3078-7777
JDBV 2025, 2(1): 45-48
www.dravyagunajournal.com
Received: 29-01-2025
Accepted: 05-03-2025

Layla AL-Mahrooqi
Middle Eastern School of Natural Therapies, Department of Herbal Sciences, Muscat, Oman

Corresponding Author:
Layla AL-Mahrooqi
Middle Eastern School of Natural Therapies, Department of Herbal Sciences, Muscat, Oman

Critical appraisal of Rasayana dravyas based on Rasa, Guna and Vipāka

Layla AL-Mahrooqi

DOI: https://www.doi.org/10.33545/dravyaguna.2025.v2.i1.A.13

Abstract
Rasāyana therapy, a cornerstone of Ayurvedic rejuvenation and health-promoting practices, is deeply rooted in the pharmacological profiling of medicinal substances based on *Rasa* (taste), *Guṇa* (qualities), *Vīrya* (potency), and *Vipāka* (post-digestive effect). Among these, *Rasa*, *Guṇa*, and *Vipāka* play pivotal roles in determining the action and suitability of Rasāyana dravyas for long-term wellness, tissue nourishment, and disease prevention. This paper critically appraises prominent Rasāyana herbs by evaluating their classical attributes and correlating them with their pharmacodynamic actions. Through a comparative analysis of Ayurvedic theory and modern pharmacology, the study seeks to clarify how *Rasa*, *Guṇa* and *Vipāka* contribute to the biopotency and systemic effects of these rejuvenating agents. Emphasis is placed on herbs such as *Amalaki*, *Guduchi*, *Ashwagandha*, and *Shatavari*, while highlighting the implications of their post-digestive transformation and long-term tissue action in promoting *ojas*, immunity, and cellular regeneration.

Keywords: Rasayana dravyas, Rasa, Guna, Vipāka, critical appraisal

Introduction
Ayurveda, the ancient Indian medical science, envisions health not as the mere absence of disease, but as a dynamic equilibrium of *doṣas* (functional bio-energies), *dhātus* (tissues), *agni* (digestive fire), and *ojas* (vital essence). In this framework, *Rasāyana tantra* emerges as a specialized branch aimed at enhancing longevity, immunity, intellect, and overall resilience of the body. The term "Rasāyana" is derived from "*rasa*" (essence or nutrient juice) and "*āyana*" (path), signifying the nourishment and movement of the *rasa dhātu* that supports all tissues. Rasāyana dravyas, therefore, are those substances that promote tissue regeneration, delay aging, and enhance bodily resistance. However, their effectiveness lies not only in the herbs themselves, but in the Ayurvedic principles that describe their pharmacological essence particularly through *Rasa* (taste), *Guṇa* (inherent qualities), *Vipāka* (post-digestive transformation) and *Vīrya* (potency). These attributes govern the drug's behavior in the body and its impact on *doṣa*, *dhātu*, and *mala* balance. This paper aims to undertake a critical evaluation of classical Rasāyana herbs by examining their therapeutic behavior through *Rasa*, *Guṇa*, and *Vipāka* parameters that determine their tissue affinity, systemic distribution, and metabolic transformations. Modern pharmacological interpretations are also incorporated to underscore their contemporary relevance in immunomodulation, adaptogenic support, and anti-aging medicine.

Conceptual Framework: Rasa, Guṇa, and Vipāka
In the science of Ayurveda, the therapeutic effect of a medicinal substance is not determined solely by its chemical composition, but by its *rasa* (taste), *guṇa* (quality), *vīrya* (potency), and *vipāka* (post-digestive effect). These concepts, deeply entrenched in Ayurvedic pharmacology, offer a unique multidimensional approach to understanding drug actions that go beyond symptom suppression to target the root of physiological and pathological states. Among these, *rasa*, *guṇa*, and *vipāka* play particularly crucial roles in determining a substance's ability to influence tissue regeneration, immune modulation, and long-term systemic effects all central goals of *rasāyana* therapy.

Table 1: Comparative analysis of selected Rasāyana Dravyas Based on Rasa, Guṇa and Vipāka

Rasāyana Dravya	Rasa (Taste)	Guṇa (Quality)	Vipāka (Post-digestive Effect)	Therapeutic Implications
Amalaki *(Emblica officinalis)*	Amla (Sour)	Rukṣa (Dry), Laghu (Light)	Madhura (Sweet)	Tridoṣa balancing, antioxidant, immune and liver tonic
Guduchi *(Tinospora cordifolia)*	Tikta (Bitter), Kaṣāya (Astringent)	Snigdha (Unctuous), Laghu (Light)	Madhura (Sweet)	Immunomodulator, antipyretic, anti-inflammatory
Ashwagandha *(Withania somnifera)*	Kaṣāya (Astringent), Tikta (Bitter)	Guru (Heavy), Snigdha (Unctuous)	Madhura (Sweet)	Adaptogen, anabolic, nervine tonic, anti-stress
Shatavari *(Asparagus racemosus)*	Madhura (Sweet), Tikta (Bitter)	Snigdha (Unctuous), Guru (Heavy)	Madhura (Sweet)	Rejuvenative for women, galactagogue, hormonal and mucosal tonic
Haritaki *(Terminalia chebula)*	Kaṣāya (Astringent), Tikta, Madhura	Laghu (Light), Rukṣa (Dry)	Madhura (Sweet)	Digestive regulator, antioxidant, enhances *Agni* and immunity

Rasa, the initial perceptible property, is not merely a gustatory experience but a subtle indicator of the elemental composition of a substance. It emerges immediately upon ingestion and represents the primary interaction between the drug and the *agni* (digestive fire). Ayurveda recognizes six *rasas madhura* (sweet), *amla* (sour), *lavaṇa* (salty), *kaṭu* (pungent), *tikta* (bitter), and *kaṣāya* (astringent) each formed by unique combinations of the five *mahābhūtas* (earth, water, fire, air, and ether). For instance, *madhura rasa* is formed by the combination of *prithvi* and *jala*, making it nourishing and anabolic. Therefore, rasāyana dravyas that contain *madhura* as their primary *rasa* are more likely to enhance *ojas*, build tissues, and promote longevity.

Studies have supported the role of taste-based attributes in influencing physiological responses. A review by Dhiman (2011) in the *Ayu* journal highlights the physiological significance of *rasa*, noting that *tikta rasa*, though bitter and initially unpalatable, possesses antitoxic, digestive, and antimicrobial properties. These attributes have been scientifically validated in *Tinospora cordifolia* (Guduchi), which has predominant *tikta* and *kaṣāya rasa* and shows significant immunomodulatory activity in both in-vitro and in-vivo studies. Guduchi's taste profile helps classify it as a detoxifying *rasāyana* with potent action on *pitta-kapha* disorders, offering systemic cleansing alongside rejuvenation.

Guṇa, the qualitative aspect of a substance, determines its inherent behavioral tendencies how it moves within the body, where it acts, and what tissues it affects. Ayurveda describes twenty *guṇas* in ten opposing pairs (e.g., *guru-laghu*, *snigdha-rukṣa*, *śīta-uṣṇa*), which modulate *doṣa* equilibrium and tissue metabolism. For example, *guru guṇa* (heaviness) supports tissue building and stability, while *laghu guṇa* (lightness) promotes mobility and clearance. *Snigdha guṇa* (unctuousness) aids in lubrication and nourishment, playing a vital role in therapies aimed at neurodegeneration or tissue depletion.

A clinical evaluation of *Ashwagandha* (*Withania somnifera*) conducted by Andallu and Radhika (2000) found significant improvements in hemoglobin levels, body weight, and subjective measures of vitality after eight weeks of administration in elderly patients. These benefits were attributed to the *guru* and *snigdha guṇas* of Ashwagandha, which promote nourishment and strengthen *māṃsa* and *śukra dhātus*. Further, its *uṣṇa vīrya* supports metabolic enhancement, making it especially beneficial in *vātaja* conditions. These findings correlate well with the traditional guṇa-based categorization and reinforce the importance of qualitative attributes in guiding drug selection and prediction of effects. Vipāka, the post-digestive effect, is often considered one of the most critical determinants in Ayurvedic pharmacology because it reflects the long-term transformation of the drug once the digestive process is complete. It represents the end-point metabolic interaction and governs the consolidated effect on *doṣas*, *dhātus*, and *malas*. There are three types of *vipāka madhura* (sweet), *amla* (sour), and *kaṭu* (pungent). Rasāyana herbs predominantly exhibit *madhura vipāka*, which supports tissue regeneration, strengthens reproductive systems, and stabilizes the *śukra* and *ojas*.

A pharmacological review of *Shatavari* (Asparagus racemosus) published in the Journal of Ethnopharmacology (2003) highlighted its rejuvenative effect on female reproductive health. The authors attributed this to its phytoestrogenic action and nourishing profile, which align with its classical categorization as *madhura rasa*, *snigdha guṇa*, and *madhura vipāka*. The presence of steroidal saponins in Shatavari supports estrogenic activity and mucosal health both of which reflect its Ayurvedic attributes of cooling, building, and soothing internal tissues.

Moreover, modern analytical studies have revealed that herbs with *madhura vipāka* also exhibit antioxidant and anabolic effects. A study by Baliga et al. (2011) [9] on *Emblica officinalis* (Amalaki) demonstrated its ability to reduce oxidative stress markers and enhance glutathione levels. The unique profile of Amalaki-*amla rasa*, *madhura vipāka*, and *śīta vīrya*-illustrates a rare yet therapeutically powerful combination where the sour taste translates into a sweet post-digestive effect, making it suitable for tridoṣa balance and long-term rejuvenation.

The interplay between *rasa*, *guṇa*, and *vipāka* ultimately determines how a Rasāyana herb behaves over time within the biological system. While *rasa* initiates action, *guṇa* determines its movement and impact, and *vipāka* consolidates its final effect. When these attributes are in harmony with the therapeutic goals-especially those of restoring *ojas*, delaying senescence, and repairing tissues-the herb functions optimally as a Rasāyana. This understanding not only upholds the traditional wisdom of Ayurveda but also provides a framework that modern pharmacology can adopt to evaluate the multi-dimensional efficacy of plant-based formulations.

In conclusion, the conceptual triad of *rasa*, *guṇa*, and *vipāka* remains a robust foundation for predicting and classifying the action of Rasāyana dravyas. Scientific investigations increasingly validate these attributes, demonstrating their tangible influence on immunity, neuroendocrine regulation, and tissue repair. By integrating these Ayurvedic principles with pharmacological evidence, Rasāyana therapy can be positioned more credibly within the global context of preventive and regenerative medicine.

Critical Appraisal of Select Rasāyana Dravyas

1. Amalaki (*Emblica officinalis*)

Amalaki is considered the supreme Rasāyana in classical texts like *Charaka Samhitā*. It possesses *amla rasa*

predominantly, with *madhura vipāka* and *śīta vīrya*. Its unusual profile-sour in taste but cooling in potency and sweet post-digestion-makes it a unique tridoṣa-balancing agent. Its rich antioxidant profile, including Vitamin C and tannins, contributes to its rejuvenating and immunomodulatory properties. The *guru* and *rukṣa* guṇas support its tissue-stabilizing role, particularly in promoting *rasa* and *rakta dhātu* nourishment.

2. Guduchi (*Tinospora cordifolia*)

Guduchi is characterized by *tikta* and *kaṣāya rasa*, *laghu* and *snigdha guṇa*, *uṣṇa vīrya*, and *madhura vipāka*. Its bitter-astringent nature aids in *pitta-kapha* pacification, while the post-digestive sweetness facilitates immunomodulatory and rejuvenating effects. Modern studies affirm its adaptogenic and anti-inflammatory actions. The herb acts subtly on *ojas* and enhances the body's resilience against infections, toxins, and stressors, making it a preferred Rasāyana for convalescence and chronic conditions.

3. Ashwagandha (*Withania somnifera*)

Ashwagandha, known as a *bāla rasāyana*, is revered for its strengthening and vitality-enhancing properties. It has *kaṣāya* and *tikta rasa*, *snigdha* and *guru guṇa*, *uṣṇa vīrya*, and *madhura vipāka*. These attributes render it ideal for *vātaja* disorders, muscular depletion, insomnia, and stress-induced debility. Its anabolic, sedative, and neuroprotective effects are well-documented. The dominance of *madhura vipāka* supports long-term tissue regeneration and improved reproductive health.

4. Shatavari (Asparagus racemosus)

Shatavari is particularly indicated for female reproductive health and hormonal regulation. It exhibits *madhura* and *tikta rasa*, *snigdha* and *guru guṇa*, *śīta vīrya*, and *madhura vipāka*. These qualities make it an excellent *rasāyana* for *pitta-vāta* disorders, promoting *rasa* and *śukra dhātu* nourishment. Its phytoestrogenic properties and soothing action on mucosal tissues make it relevant in modern gynecological and gastro-intestinal therapeutics.

Discussion

The appraisal of *Rasāyana dravyas* through the lens of *rasa*, *guṇa*, and *vipāka* reveals a profound coherence between classical Ayurvedic pharmacology and the therapeutic goals of contemporary medicine. In Ayurveda, drug action is not viewed in isolation from the individual's constitution, digestive capacity, or the bio-energetic balance of *doṣas*. Instead, the triad of *rasa* (taste), *guṇa* (inherent qualities), and *vipāka* (post-digestive effect) provides a predictive and experiential model for evaluating the multidimensional therapeutic effects of substances. When applied to Rasāyana therapy-whose objectives include tissue regeneration, rejuvenation, immunity enhancement, and promotion of *ojas*-this triad becomes particularly significant in understanding not just what a substance does, but how and why it does so.

The first layer of pharmacodynamic interaction begins with *rasa*, the taste, which reflects the elemental composition (*mahābhūta* dominance) of the substance. For instance, *madhura rasa* (sweet taste) is composed of *prithvi* (earth) and *jala* (water) and is considered anabolic, nourishing, and stabilizing. It directly contributes to the formation of *rasa* and *shukra dhātus*, and indirectly strengthens *ojas*-the subtle essence of vitality and immunity. The predominance of *madhura rasa* in Rasāyana dravyas such as *Shatavari*, *Ashwagandha*, and *Yashtimadhu* aligns with their tissue-building and anti-aging roles. In contrast, *tikta rasa* (bitter) and *kaṣāya rasa* (astringent), as seen in *Guduchi* and *Haritaki*, exert detoxifying and antioxidant effects, cleansing microchannels (*srotas*) and reducing systemic inflammation-an essential prerequisite for effective rejuvenation.

While *rasa* initiates the pharmacological activity, *guṇa* determines the movement, localization, and interaction of the drug within the body. For example, *guru guṇa* (heaviness) ensures sustained nourishment and tissue stabilization. Herbs like *Ashwagandha* and *Shatavari* possess *guru* and *snigdha guṇas*, making them suitable for treating *vātaja* conditions such as weakness, emaciation, and neurological depletion. Their heavy and unctuous nature allows for deep tissue penetration and sustained action. In contrast, *laghu* and *rukṣa guṇas*, as seen in *Haritaki*, promote lightness and dryness, supporting digestive function, reducing *kapha*, and eliminating *āma* (toxins), which in turn improves the receptivity of tissues to Rasāyana effects.

The third and most sustained level of action is governed by *vipāka*, the final taste effect post-digestion, which reveals the net impact of a drug on metabolic transformation and long-term bodily response. *Madhura vipāka*, dominant in most Rasāyana dravyas, reflects anabolism, tissue nourishment, and reproductive enhancement. It is particularly supportive of *ojas* formation and acts as a rejuvenative principle on the endocrine, immune, and reproductive systems. This is evident in the clinical efficacy of *Shatavari* in improving hormonal balance and lactation, and of *Ashwagandha* in enhancing fertility and muscular strength. Herbs with *kaṭu vipāka*, such as *Haritaki*, while not directly anabolic, enhance *agni* (digestive and metabolic fire) and facilitate the removal of metabolic waste, creating an internal environment suitable for the action of other *Rasāyanas*.

The synergy between these attributes allows a Rasāyana dravya to function in a complex, layered manner. Take for example *Guduchi*, which is bitter and astringent in taste (*tikta-kaṣāya rasa*), *snigdha-laghu* in quality, and *madhura* in *vipāka*. Its bitter taste aids in detoxification and immunity modulation, its light and unctuous qualities promote efficient tissue assimilation without heaviness, and its sweet *vipāka* ensures a nourishing effect on *ojas* and vitality. Contemporary research has confirmed that *Guduchi* exhibits significant immunomodulatory activity, enhancing macrophage and lymphocyte function, and reducing inflammatory cytokines. These effects align well with its classical description and justify its classification as a Rasāyana suitable for conditions involving chronic infections, autoimmune disorders, and fatigue syndromes.

Similarly, *Amalaki*, though predominantly sour in *rasa*, displays an unusual combination of *śīta vīrya* and *madhura vipāka*. Classical texts hail Amalaki as a tridoṣa hara-capable of balancing all three *doṣas*-and a potent *rasāyana*. It is one of the rare herbs with a sour taste that does not increase *pitta*. Modern studies have demonstrated its antioxidant capacity through enhancement of glutathione, superoxide dismutase, and catalase activity. These biochemical markers of oxidative stress reduction help to

explain its role in anti-aging, anti-cancer, and hepatoprotective effects, all of which correlate with its rejuvenative potential described in Ayurveda.

Further supporting this framework, a 2010 study by Rege et al. explored the adaptogenic and immunomodulatory properties of six Rasāyana herbs. Their findings showed that *Ashwagandha*, *Guduchi*, and *Amalaki* significantly improved non-specific immune responses and resistance to physical stress in laboratory animals. These herbs shared a common profile of *madhura vipāka*, stabilizing *guṇas*, and either *madhura* or *tikta rasa*-all pharmacological patterns typical of classical *Rasāyana dravyas*. These results offer empirical validation of the Ayurvedic belief that long-term rejuvenation is not a function of singular action, but of multi-stage, integrative pharmacodynamics involving taste, transformation, and tissue response.

It is also important to highlight that *rasa*, *guṇa*, and *vipāka* do not function independently; rather, their combined effect determines the eventual outcome of therapy. For example, a substance with *madhura rasa* and *madhura vipāka*, but with *uṣṇa vīrya* (hot potency), may not be suitable for *pitta-prone* individuals unless balanced with appropriate formulation or adjuvants. This underscores the personalized nature of Rasāyana therapy, wherein the Ayurvedic physician selects the herb not merely based on disease but on individual *prakṛti*, *agni*, and *vikṛti*. This personalized tailoring reflects the early Ayurvedic insight into what modern medicine now calls "precision medicine."

Despite these insights, the modern application of *rasa-guṇa-vipāka* theory is limited by the absence of validated correlates in biochemical terms. While preliminary phytochemical and pharmacological studies have confirmed many of the classical effects of Rasāyana herbs, more structured clinical trials and molecular research are needed to establish standard interpretations of these parameters. Analytical tools such as HPTLC, LC-MS, and metabolomics offer promising avenues to map the chemical fingerprints of Rasāyana dravyas in correlation with their Ayurvedic attributes.

In conclusion, the discussion of *rasa*, *guṇa*, and *vipāka* within the framework of Rasāyana dravyas reveals a comprehensive and dynamic system of drug classification and action that is both scientifically relevant and therapeutically effective. These parameters help explain not only the immediate effects of these herbs but also their long-term influence on systemic health, immunity, and aging. As modern pharmacology continues to explore herbal therapeutics, the Ayurvedic triad of *rasa*, *guṇa*, and *vipāka* offers a valuable epistemological bridge between traditional wisdom and emerging biomedical sciences.

Conclusion

The classical Ayurvedic framework of *rasa* (taste), *guṇa* (inherent quality), and *vipāka* (post-digestive effect) offers a profound and holistic lens for evaluating the therapeutic behavior of *Rasāyana dravyas*. These foundational concepts go beyond mere sensory or chemical analysis and reflect the dynamic pharmacological journey of a substance-from initial interaction in the digestive system to its long-term metabolic and systemic effects. The consistent presence of *madhura vipāka*, nourishing *guṇas* such as *guru* and *snigdha*, and balancing *rasa* profiles in Rasāyana herbs underscores their deep alignment with tissue restoration, immune enhancement, and systemic rejuvenation.

Case examples such as *Amalaki*, *Guduchi*, *Ashwagandha*, and *Shatavari* not only affirm these principles through classical descriptions but are increasingly validated by contemporary pharmacological studies demonstrating their adaptogenic, antioxidant, anti-inflammatory, and immunomodulatory effects. These findings substantiate the Ayurvedic assertion that the efficacy of a Rasāyana dravya lies in its ability to influence multiple levels of physiological function simultaneously-digestive, metabolic, immunological, and regenerative.

The synergy of *rasa*, *guṇa*, and *vipāka* enables a personalized and long-acting therapeutic approach that stands in harmony with the modern vision of precision medicine and holistic health. While further scientific validation is needed to fully integrate these concepts into contemporary drug development, the foundational integrity of this triadic model continues to offer valuable insights for both preventive and curative healthcare. Rasāyana therapy, when interpreted through these classical principles and supported by modern research, holds immense promise in addressing age-related disorders, chronic inflammation, immunodeficiency, and enhancing quality of life.

Thus, the critical appraisal of Rasāyana dravyas through these Ayurvedic parameters not only reaffirms the timeless relevance of Ayurvedic pharmacology but also paves the way for its meaningful integration into global wellness paradigms.

References

1. Sharma PV. Dravyaguna Vijnana (Vol. I-II). Varanasi: Chaukhambha Bharati Academy, 2010, p. 45-168.
2. Dash B, Sharma RK. Caraka Samhita: Text with English Translation and Critical Exposition Based on Cakrapani Datta's Ayurveda Dipika. Varanasi: Chowkhamba Sanskrit Series Office, 2012, p. 276-290.
3. Goyal RK, Singh J, Lal H. Asparagus racemosus-An update. Indian Journal of Medical Sciences. 2003;57(9):408-414.
4. Rege NN, Thatte UM, Dahanukar SA. Adaptogenic properties of six rasayana herbs used in Ayurvedic medicine. Phytotherapy Research. 1999;13(4):275-291.
5. Sairam K, Rao CV, Babu MD, Goel RK. Prophylactic and curative effects of Ashwagandha root extract against stress-induced gastric ulcers in rats. Indian Journal of Pharmacology. 2002;34(2):100-104.
6. Singh RH. Exploring issues in the development of Ayurvedic research methodology. Journal of Ayurveda and Integrative Medicine. 2010;1(2):91-95.
7. Sharma A, Chandola HM, Singh G, Basisht G. Utilization of rasayana therapy in the management of lifestyle disorders. Ayu. 2012;33(4):499-504.
8. Thatte U, Dahanukar S. Immunotherapeutic modification of Escherichia coli peritonitis and bacteremia by Tinospora cordifolia. Indian Journal of Gastroenterology. 1993;12(1):5-8.
9. Baliga MS, Meera S, Rao S, Rai MP. *Emblica officinalis* (Amla): A review of potential therapeutic benefits. Indian Journal of Clinical Biochemistry. 2011;26(4):378-387.
10. Patwardhan B, Chorghade M, Joshi K. Ayurveda and natural products drug discovery. Current Science. 2004;86(6):789-799.